

Applicant : Neil H. Bander
Serial No. : 09/357,709
Filed : July 20, 1999
Page : 3 of 13

Attorney's Docket No.: 10448-184003 / MPI1996-
037P2RDV1B(RCE); CRF D-1912K

Amendments to the Claims:

This listing of claims replaces all prior versions and listings of claims in the application:

Listing of Claims:

68. (Currently amended) A method of detecting normal, benign hyperplastic, or cancerous prostate cells ~~or a portion thereof~~ in a human subject, comprising:
- providing an antibody or antigen binding portion thereof which binds to an epitope of prostate specific membrane antigen which is also recognized by a monoclonal antibody selected from the group consisting of an E99, a J415, a J533, and a J591 monoclonal antibody, wherein the antibody or antigen binding portion thereof is bound to a label effective to permit detection of normal, benign hyperplastic, or cancerous prostate cells ~~or a portion thereof~~;
 - administering the antibody or antigen binding portion thereof to the human subject;
 - detecting the presence of the normal, benign hyperplastic, or cancerous prostate cells ~~or a portion thereof~~ by detecting the label.
69. (Previously presented) A method according to claim 68, wherein detecting the label provides an indication of where the prostate cells are localized within the body of the human subject.
70. (Previously presented) A method according to claim 69, wherein the label is detected using an imaging device.
71. (Previously presented) A method according to claim 68, wherein the administering is carried out parenterally.
72. (Currently amended) A method according to claim ~~68~~⁷¹, wherein the administering

Applicant : Neil H. Bander
Serial No. : 09/357,709
Filed : July 20, 1999
Page : 4 of 13

Attorney's Docket No.: 10448-184003 / MPI1996-
037P2RDV1B(RCE); CRF D-1912K

is carried out intravenously.

73. (Previously presented) A method according to claim 68, wherein the administering is carried out by intracavitary instillation.

74. (Previously presented) A method according to claim 68, wherein the administering is carried out rectally.

75. (Previously presented) A method according to claim 68, wherein the label is detected using a transrectal probe.

76. (Previously presented) A method according to claim 68, wherein the antibody or antigen binding portion thereof is administered following a prostatectomy.

77. (Previously presented) A method according to claim 68, wherein the antibody or antigen binding portion thereof is in a composition further comprising a pharmaceutically acceptable carrier, excipient, or stabilizer.

78. (Previously Canceled)

79. (Previously presented) A method according to claim 68, wherein the antibody is selected from the group consisting of a monoclonal antibody and a polyclonal antibody.

80. (Previously presented) A method according to claim 79, wherein the antibody is selected from the group consisting of an E99, a J415, a J533, and a J591 monoclonal antibody.

81. (Previously presented) A method according to claim 79, wherein the antibody is a monoclonal antibody produced by a hybridoma having an ATCC Accession Number selected

Applicant : Neil H. Bander
Serial No. : 09/357,709
Filed : July 20, 1999
Page : 5 of 13

Attorney's Docket No.: 10448-184003 / MPI1996-
037P2RDV1B(RCE); CRF D-1912K

from the group consisting of HB-12101, HB-12109, HB-12127, and HB-12126.

- 82. (Previously Canceled)
- 83. (Previously Canceled)
- 84. (Cancel)
- 85. (Cancel)
- 86. (Cancel)
- 87. (Cancel)
- 88. (Cancel)
- 89. (Cancel)
- 90. (Cancel)
- 91. (Cancel)
- 92. (Cancel)
- 93. (Cancel)
- 94. (Cancel)
- 95. (Cancel)
- 96. (Previously Canceled)
- 97. (Previously Canceled)
- 98. (Previously Canceled)
- 99. (Previously Canceled)
- 100. (Previously Canceled)
- 101. (Previously Canceled)
- 102. (Previously Canceled)
- 103. (Previously Canceled)
- 104. (Previously Canceled)
- 105. (Previously Canceled)
- 106. (Previously Canceled)

Applicant : Neil H. Bander
Serial No. : 09/357,709
Filed : July 20, 1999
Page : 6 of 13

Attorney's Docket No.: 10448-184003 / MPI1996-
037P2RDV1B(RCE); CRF D-1912K

107. (Previously presented) A method according to claim 68, wherein the prostate cells are prostate epithelial cells.

108. (Previously Canceled)

109. (Previously Canceled)

110. (Previously Canceled)

111. (Previously presented) A method according to claim 68, wherein the antibody or antigen binding portion thereof binds to live cells.

112. (Cancel)

113. (Cancel)

114. (Cancel)

115. (Cancel)

116. (Currently amended) A method according to claim 68, ~~84, 90~~, or 111, wherein the antibody is a monoclonal antibody.

117. (Currently amended) A method according to claim 68, ~~84, 90~~, or 111, wherein the antibody or antigen binding portion thereof is internalized with the prostate specific membrane antigen.

118. (Currently amended) A method according to claim 68, ~~84, 90~~, or 111, wherein the antibody or antigen binding portion thereof is selected from the group consisting of a Fab fragment, a F(ab')₂ fragment, and a Fv fragment.

119. (Currently amended) A method according to claim 68, ~~84, 90~~, or 111, wherein the label is selected from the group consisting of a fluorescent label, a biologically-active enzyme

Applicant : Neil H. Bander
Serial No. : 09/357,709
Filed : July 20, 1999
Page : 7 of 13

Attorney's Docket No.: 10448-184003 / MPI1996-
037P2RDV1B(RCE); CRF D-1912K

label, a radiolabel, a nuclear magnetic resonance active label, a luminescent label, and a chromophore label.

120. (Previously presented) A method according to claim 119, wherein the label is a radiolabel.

121. (Previously presented) A method according to claim 120, wherein the radiolabel is a short-range radiation emitter.

122. (Previously presented) A method according to claim 121, wherein the radiolabel is selected from the group consisting of ^{212}Bi , ^{213}Bi , and ^{211}At .

123. (Previously presented) A method according to claim 120, wherein the radiolabel is selected from the group consisting of ^{32}P , ^{125}I , ^3H , ^{14}C , and ^{188}Rh .

124. (Previously presented) A method according to claim 120, wherein the radiolabel is ^{131}I .

125. (Previously presented) A method according to claim 120, wherein the radiolabel is $^{99\text{m}}\text{Tc}$.

126. (Previously presented) A method according to claim 120, wherein the radiolabel is ^{111}In .

127. (Previously presented) The method according to claim 68, wherein the method is a method of detecting benign hyperplastic cells or a portion thereof in the subject.

Applicant : Neil H. Bander
Serial No. : 09/357,709
Filed : July 20, 1999
Page : 8 of 13

Attorney's Docket No.: 10448-184003 / MP11996-
037P2RDV1B(RCE); CRF D-1912K

128. (Previously presented) The method according to claim 68, wherein the method is a method of detecting cancerous prostate cells ~~or a portion thereof~~ in the subject.

129. (Previously Canceled)

130. (Previously presented) The method according to claim 120, wherein the radiolabel is an α -emitter.

131. (Previously presented) The method according to claim 120, wherein the radiolabel is a β -emitter.

132. (Previously presented) The method according to claim 120, wherein the radiolabel is a γ -emitter.

133. (Currently amended) A method of detecting benign hyperplastic prostate cells ~~or a portion thereof~~ in a human subject, comprising:

providing an antibody or antigen binding portion thereof which binds to an epitope of prostate specific membrane antigen which is also recognized by a monoclonal antibody selected from the group consisting of an E99, a J415, a J533, and a J591 monoclonal antibody, wherein the antibody or antigen binding portion thereof is bound to a label effective to permit detection of ~~normal~~, benign hyperplastic, ~~or cancerous~~ prostate cells ~~or a portion thereof~~;

administering the antibody or antigen binding portion thereof to the human subject;

detecting the presence of the benign hyperplastic prostate cells ~~or a portion thereof~~ by detecting the label.

134. (Previously presented) A method according to claim 133, wherein detecting the label provides an indication of where the prostate cells are localized within the body of the human subject.

Applicant : Neil H. Bander
Serial No. : 09/357,709
Filed : July 20, 1999
Page : 9 of 13

Attorney's Docket No.: 10448-184003 / MPI1996-
037P2RDV1B(RCE); CRF D-1912K

135. (Previously presented) A method according to claim 134, wherein the label is detected using an imaging device.

136. (Previously presented) A method according to claim 133, wherein the antibody is selected from the group consisting of an E99, a J415, a J533, and a J591 monoclonal antibody.

137. (Previously presented) A method according to claim 133, wherein the antibody or antigen binding portion thereof binds to live cells.

138. (Previously presented) A method according to claim 133, wherein the antibody is a monoclonal antibody.

139. (Previously presented) A method according to claim 133, wherein the antibody or antigen binding portion thereof is internalized with the prostate specific membrane antigen.

140. (Previously presented) A method according to claim 133, wherein the label is selected from the group consisting of a fluorescent label, a biologically-active enzyme label, a radiolabel, a nuclear magnetic resonance active label, a luminescent label, and a chromophore label.

141. (Previously presented) A method according to claim 140, wherein the label is a radiolabel.

142. (Previously presented) A method according to claim 141, wherein the radiolabel is a short-range radiation emitter.

143. (Currently amended) A method of detecting cancerous prostate cells ~~or a portion~~

Applicant : Neil H. Bander
Serial No. : 09/357,709
Filed : July 20, 1999
Page : 10 of 13

Attorney's Docket No.: 10448-184003 / MPI1996-
037P2RDV1B(RCE); CRF D-1912K

thereof in a human subject, comprising:

providing an antibody or antigen binding portion thereof which binds to an epitope of prostate specific membrane antigen which is also recognized by a monoclonal antibody selected from the group consisting of an E99, a J415, a J533, and a J591 monoclonal antibody, wherein the antibody or antigen binding portion thereof is bound to a label effective to permit detection of ~~normal, benign hyperplastic, or cancerous prostate cells or a portion thereof~~;

administering the antibody or antigen binding portion thereof to the human subject;
detecting the presence of the cancerous prostate cells ~~or a portion thereof~~ by detecting the label.

144. (Previously presented) A method according to claim 143, wherein detecting the label provides an indication of where the prostate cells are localized within the body of the human subject.

145. (Previously presented) A method according to claim 144, wherein the label is detected using an imaging device.

146. (Previously presented) A method according to claim 143, wherein the antibody is selected from the group consisting of an E99, a J415, a J533, and a J591 monoclonal antibody.

147. (Previously presented) A method according to claim 143, wherein the antibody or antigen binding portion thereof binds to live cells.

148. (Previously presented) A method according to claim 143, wherein the antibody is a monoclonal antibody.

149. (Previously presented) A method according to claim 143, wherein the antibody or antigen binding portion thereof is internalized with the prostate specific m mbrane antigen.

Applicant : Neil H. Bander
Serial No. : 09/357,709
Filed : July 20, 1999
Page : 11 of 13

Attorney's Docket No.: 10448-184003 / MP11996-
037P2RDV1B(RCE); CRF D-1912K

150. (Previously presented) A method according to claim 143, wherein the label is selected from the group consisting of a fluorescent label, a biologically-active enzyme label, a radiolabel, a nuclear magnetic resonance active label, a luminescent label, and a chromophore label.

151. (Previously presented) A method according to claim 150, wherein the label is a radiolabel.

152. (Previously presented) A method according to claim 151, wherein the radiolabel is a short-range radiation emitter.